

Work Order ID 58836

Wednesday, May 19, 2010 1:08:49 PM



Page 1

Item ID: D3646-1

Accept



Setup Start



Revision ID:

Item Name: Arm

Stop



Start Date: 5/19/2010 Start Qty: 10.00



Cust Item ID:

Required Date: 5/26/2010 Req'd Qty: 10.00



Customer:

Reference:

Approvals: Process Plan: *RP*

Date: *10-5-19*

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3646

Rev A

100

0.00



NC BRAKE

Brake NC

Memo

0.00

Brake NC

1-Punch to length as per Dwg D3646 & template DT8958

=> m-h 10/05/27

10X

110

0.00



Small Fab

Small Fab

Memo

0.00

Small Fab

1-Deburr

=> m-h 10/05/27

120

0.00



QC5- Inspect part completeness to step on W/O

QC

Memo

0.00

Quality Control

S. Cortez

110

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 58836

Wednesday, May 19, 2010 1:08:49 PM



Page 2

Item ID: D3646-1

Accept



Setup Start



Revision ID:

Item Name: Arm

Stop



Start Date: 5/19/2010 Start Qty: 10.00



Cust Item ID:

Required Date: 5/26/2010 Req'd Qty: 10.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start



Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130



Powdercoat

Powder Coating

Black Sandtex(Ref:4.3.5.7) per QSI005 4.3

Memo

START TIME: 8:00AM
OVEN TEMPERATURE: 320°C
FINISH TIME: 8:30AM

0.00

=> 10/06/01

0.00

10

0

140



QC

Quality Control

QC3- Inspect Part Finish

Memo

0.00

0.00

10

BL 10-6-1

150



Packaging

Packaging

Identify as per dwg & Stock Location: 329

Memo

0.00

0.00

10-6-2

102

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 58836

Wednesday, May 19, 2010 1:08:49 PM



Page 3

Item ID: D3646-1

Accept



Setup Start



Revision ID:

Item Name: Arm

Stop



Start Date: 5/19/2010 Start Qty: 10.00



Cust Item ID:

Required Date: 5/26/2010 Req'd Qty: 10.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/06/03

U10-0603

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, May 19, 2010 1:08:54 PM

Page 1

Work Order ID: 58836



Parent Item: D3646-1



Parent Item Name: Arm

Start Date: 5/19/2010

Required Date: 5/26/2010

Comments: IPP Rev. A new issue 07.07.25 EC verified by:JLM

Start Qty: 10.00

Required Qty: 10.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Qty Issued	Date Issued	Status
M304TR0.500W.035		Purchased	No			100	f	223.4020	1.98			



304 RD Tube .500 x .035W



Location

Loc Qty

Loc Code

MAT

173.6979

114482 ✓

173.6979

MAT014

49.7001

114356

49.7001

MAT017

0.004

112800

0.004

19.8

m-l
10/05/27


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3646-1 ARM

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 58836

BS-0-5-19

RELEASED
09/06/23/11/1

NOTES:

- 1) MATERIAL: AISI 304/316 SS TUBE $\phi 0.500 \times 0.035$ WALL PER ASTM A213/A269 OR ASME A213 (REF DART SPEC. M304TR0500W.035)
- 2) FINISH: POWDER COAT "BLACK SANDEXT" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3646-1" USING REMOVABLE TAG
- 7) WEIGHT: 0.38 lbs
- 8) MAKE PER TEMPLATE DT8958
- 9) PUNCH BOTH ENDS PER SPEC CONTROL DWG D2727

B	REFORMAT DWG. ANGLE 65° WAS 45° (ZN C3-1), ADD IDENTIFICATION TAG (ZN A8-1, A8-2)	CP	09.06.04
A	NEW ISSUE	MB	07.06.06
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	09.06.04		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D3646** REV. B
SHEET 1 OF 2
TITLE **ARM** SCALE NTS

COPYRIGHT © 2007 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



NOTES:

- 1) MATERIAL: AISI 304/316 SS TUBE Ø0.500 X 0.035 WALL PER ASTM A213/A269 OR ASME A213 (REF DART SPEC. M304TR0500W.035)
- 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3646-3" USING REMOVABLE TAG
- 7) WEIGHT: 0.57 lbs
- 8) MAKE PER TEMPLATE DT8959
- 9) PUNCH BOTH ENDS PER SPEC CONTROL DWG D2727

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3646	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		ARM	NTS
DATE	09.06.04	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries



DESIGN KE	DRAWN BY KE	DART AEROSPACE LTD VICTORIA INTERNATIONAL AIRPORT, CANADA	
CHECKED MAY	APPROVED CA	DRAWING NO. D2727	REV. A SHEET 1 OF 1
DATE 97.11.24		TITLE PUNCH DT8012 SPEC CONTROL	SCALE 2:1
A	97.11.24	NEW ISSUE	
A1	#CP 01.12.20	ADD TOLERANCE NOTE	

SPECIFICATION CONTROL DRAWING FOR PUNCH DT8012

RELEASED
98/03/06 KE



NOTE: TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries